

**THIS PAGE IS INSERTED BY OIPE SCANNING
AND IS NOT PART OF THE OFFICIAL RECORD**

Best Available Images

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

BLACK BORDERS

TEXT CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT

BLURRY OR ILLEGIBLE TEXT

SKEWED/SLANTED IMAGES

COLORED PHOTOS HAVE BEEN RENDERED INTO BLACK AND WHITE

VERY DARK BLACK AND WHITE PHOTOS



UNDECIPHERABLE GRAY SCALE DOCUMENTS

**IMAGES ARE THE BEST AVAILABLE
COPY. AS RESCANNING *WILL NOT*
CORRECT IMAGES, PLEASE DO NOT
REPORT THE IMAGES TO THE
PROBLEM IMAGE BOX.**

Inventor: Setsuo MISHIMA, et al.
Filing Date: November 19, 2003
Title: MARAGING STEEL AND
METHOD OF PRODUCING THE
SAME


1 OF 5

FIG. 1



2 QF5


FIG. 2



Inventor: Setsuo MISHIMA, et al.
Filing Date: November 19, 2003
Title: MARAGING STEEL AND
METHOD OF PRODUCING THE
SAME


3 of 5

FIG. 3



10 μm

FIG. 4



Inventor: Setsuo MISHIMA, et al.
Filing Date: November 19, 2003
Title: MARAGING STEEL AND
METHOD OF PRODUCING THE
SAME

5 of 5

FIG. 5

